



전기용품안전인증서

Electrical Appliances Safety Certificate

안전인증번호 : SH04030-5001B
(Certificate No.)

접수번호 : 05-1920-4437
(Order No.)

제조사명 : (주)동일기연
(Manufacturer)

공장소재지 : 경기도 화성시 북양동 215-6
(Factory Address)

제품명 : 상호연결 커플러
(Product)

기본모델명 : DAC-12
(Basic Model)

정격 : AC250V, 10A
(Electrical Ratings)

파생모델명 : 별첨 1참조
(Series Model)

적용기준 : K60320-1
(Applied Standard)

- 첨부 : 1. 기본모델·파생모델의 내용 (General Descriptions of Certified Products)
2. 전기용품안전인증서의 변경발급 현황 (Status of Compliance Certificate Revisions)
3. 안전관리 부품목록 (List of Critical Components)

전기용품 안전관리법 제5조의 규정에 의하여 위의 전기용품에 대하여 안전인증서를 교부합니다.


We Certificate Electrical Appliances Safety Certification as above product by Article 5 of the Electrical Appliance Safety Control Law.

2005년 11월 15일
year month day



산업기술시험원

KOREA TESTING LABORATORY



☐ 첨부 1 : 기본모델·파생모델의 내용
General description of Certified Products

| 파생모델명 Derivative model | 기본모델과의 차이점 Differences between the basic and derivative model(s) |
|--|---|
| DAC-12PH | Snap-in mounting type, with earth terminal band |
| DAC-11 | Flange mounting type, insert version |
| DAC-11P | Flange mounting type, surface version |
| DAC-14 | Flange mounting type, edge version |
| DAC-3 | flange mounting type, insert version, length of earth terminal is 34mm |
| DAC-4 | insert mounting type, insert version, length of earth terminal is 32mm |
| DAC-5 | flange mounting type, insert version, length of earth terminal is 55mm |
| DAC-8 | insert mounting type, insert version, with earth terminal band |
| DAC-25 | flange mounting type, insert version, with earth terminal band |
| DAC-13 | flange mounting type, insert version, with molded fuse holder, length of earth terminal is 39mm |
| 제품특기사항 및 시험조건 Remarks & Test conditions | |
| 1. 시험성적서 발행번호 : 05-1920-1651 (2005.07.06) 2. 제품특기사항 : - Snap-in mounting type 의 상호연결 커플러(appliance inlet) - 형상과 치수는 K60320-1 규격의 표준시트 C14 형태 | |
| <input type="checkbox"/> 본 제품의 시험내용에 관하여 문의하실 사항이 있으시면 아래 연락처로 문의하시기 바랍니다. 시험담당자 : 전기전자본부, 신뢰성평가팀, 유경태 / (02)860-1270 <input type="checkbox"/> If you have any question on product testing, please contact the person below : Job holder : Electro-technical Center Reliability Assessment Team, K.T.Yu /+82 2 860-1270 | |

☐ 첨부 2 : 전기용품안전인증서의 변경발급현황
Status of Compliance Certificate Revisions

| 변경발급 내용 Contents of Certificate Revisions | 비 고 Remarks |
|---|----------------|
| 1 차 변경) 5 개의 파생모델 추가(05-1920-3327 : 2005. 07. 29) - DAC-3, DAC-4, DAC-5, DAC-8, DAC-25 2 차 변경) 파생모델추가 및 안전관리부품추가 (05-1920-4437 : 2005. 11. 10.) - 파생모델" DAC-13" - 모델 "DAC-13" 에 사용되는 소형 관형 퓨즈(miniature fuse)가 부품으로 추가됨 | |

FP511-11-00

☐ 첨부 3 : 안전관리부품 목록
 List of Critical Components

| 부품명 (회로기호) Component(Part no.) | 제조사(상표명) Manufacturer(Brand) | 모델명(형식) Model(Type) | 정격 또는 특성 Rating or Characteristics | 인증마크 Tested by |
|-----------------------------------|---------------------------------|------------------------|---------------------------------------|-------------------|
| 소형퓨즈 | 오리셀(주) | 50T | 250VAC 1.25A ~ 6.3A | EK |

☐ 유의사항 (Attention) :

- 안전관리부품은 전기적인 안전에 직접적인 영향을 주는 부품으로서 안전인증기관이 정기공장검사 시 확인관리 하는 사항입니다. 따라서 상기목록에 기재된 사항을 변경하거나 또는 복수등재를 원하시는 경우는 안전인증기관에 인증변경신청을 하여야 합니다.
As the "Critical components" are parts in directly related with safety, these components shall be checked during a factory inspection by the certification body. In case of applying multiple listing or changing the items above, the certification revision shall be applied.
- 인증변경신청 없이 임의로 변경하는 경우는, 전기용품안전관리법 제 9 조제 1 항의 규정에 의한 안전인증 취소 사유가 됨을 유의하시기 바랍니다.
The Safety Certification will be cancelled under the Safety Control Law for Electrical Appliances, Paragraph 1 of Article 9 if the contents of the Certification is altered without our authorization.