

Test Report

No.: CANEC23007107809

Date: Aug 03, 2023

Page 1 of 14

Client Name: NINGBO HAISHU LIHE ELECTRONIC CO.,LTD

Client Address: NO.228,QIUSHI ROAD,WANGCHUN INDUSTRIAL ZONE ,HAISHU DISTRICT,NINGBO CITY

Sample Name: PLASTIC(BLACK)

Model No.: PA66/U4820L

Supplier: Invista Nylon Chemical (China) Vo.,LTD

The above sample(s) and information were provided by the client.

SGS Job No.: SZP23-012045

Sample Receiving Date: Jul 28, 2023

Testing Period: Jul 28, 2023 ~ Aug 03, 2023

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

| Test Requirement | Conclusion |
|--|-------------|
| EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) | Pass |
| Polycyclic Aromatic Hydrocarbons (PAHs) | See Results |
| Perfluorooctane Sulfonates (PFOS) and its derivatives and Perfluorooctanoic Acid (PFOA) and its salts | See Results |
| Phthalates | See Results |
| Chlorinated Paraffins | See Results |

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Dongyu Xie
Approved Signatory

scan to see the report



014763F6



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch, Technical Services Co., Ltd. Guangzhou Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Result(s):

Test Part Description:

| SN ID | Sample No. | SGS Sample ID | Description |
|-------|------------|-------------------------|---------------|
| SN1 | A9 | CAN23-0071078-0001.C009 | Black plastic |

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) “-” = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analysis was performed by ICP-OES, UV-Vis and GC-MS.

| Test Item(s) | Limit | Unit(s) | MDL | A9 |
|------------------------------------|-------|---------|-----|----|
| Cadmium(Cd) | 100 | mg/kg | 2 | ND |
| Lead (Pb) | 1000 | mg/kg | 2 | ND |
| Mercury (Hg) | 1000 | mg/kg | 2 | ND |
| Hexavalent Chromium (Cr(VI)) | 1000 | mg/kg | 8 | ND |
| Polybromobiphenyl (PBBs) | 1000 | mg/kg | - | ND |
| Monobromobiphenyl (MonoBB) | - | mg/kg | 5 | ND |
| Dibromobiphenyl (DiBB) | - | mg/kg | 5 | ND |
| Tribromobiphenyl (TriBB) | - | mg/kg | 5 | ND |
| Tetrabromobiphenyl (TetraBB) | - | mg/kg | 5 | ND |
| Pentabromobiphenyl (PentaBB) | - | mg/kg | 5 | ND |
| Hexabromobiphenyl (HexaBB) | - | mg/kg | 5 | ND |
| Heptabromobiphenyl (HeptaBB) | - | mg/kg | 5 | ND |
| Octabromobiphenyl (OctaBB) | - | mg/kg | 5 | ND |
| Nonabromobiphenyl (NonaBB) | - | mg/kg | 5 | ND |
| Decabromobiphenyl (DecaBB) | - | mg/kg | 5 | ND |
| Polybromodiphenyl ether(PBDEs) | 1000 | mg/kg | - | ND |
| Monobromodiphenylether (MonoBDE) | - | mg/kg | 5 | ND |
| Dibromodiphenylether (DiBDE) | - | mg/kg | 5 | ND |
| Tribromodiphenylether (TriBDE) | - | mg/kg | 5 | ND |
| Tetrabromodiphenylether (TetraBDE) | - | mg/kg | 5 | ND |
| Pentabromodiphenylether (PentaBDE) | - | mg/kg | 5 | ND |
| Hexabromodiphenylether (HexaBDE) | - | mg/kg | 5 | ND |
| Heptabromodiphenylether (HeptaBDE) | - | mg/kg | 5 | ND |
| Octabromodiphenylether (OctaBDE) | - | mg/kg | 5 | ND |
| Nonabromodiphenylether (NonaBDE) | - | mg/kg | 5 | ND |
| Decabromodiphenylether (DecaBDE) | - | mg/kg | 5 | ND |
| Dibutyl Phthalate(DBP) | 1000 | mg/kg | 50 | ND |
| Butyl Benzyl Phthalate(BBP) | 1000 | mg/kg | 50 | ND |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No.: CANEC23007107809

Date: Aug 03, 2023

Page 3 of 14

| Test Item(s) | Limit | Unit(s) | MDL | A9 |
|------------------------------------|-------|---------|-----|----|
| Bis-(2-ethylhexyl) Phthalate(DEHP) | 1000 | mg/kg | 50 | ND |
| Diisobutyl Phthalate(DIBP) | 1000 | mg/kg | 50 | ND |

Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (2) IEC 62321 series is equivalent to EN 62321 series.
- (3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AfPS GS 2019:01 PAK, analysis was performed by GC-MS.

| Test Item(s) | CAS No. | Unit(s) | MDL | A9 |
|---|----------|---------|-----|----|
| Benzo(a)pyrene(BaP) | 50-32-8 | mg/kg | 0.1 | ND |
| Benzo(e)pyrene(BeP) | 192-97-2 | mg/kg | 0.1 | ND |
| Benzo(a)anthracene(BaA) | 56-55-3 | mg/kg | 0.1 | ND |
| Benzo(b)Fluoranthene(BbF) | 205-99-2 | mg/kg | 0.1 | ND |
| Benzo(j)fluoranthene(BjF) | 205-82-3 | mg/kg | 0.1 | ND |
| Benzo(k)Fluoranthene(BkF) | 207-08-9 | mg/kg | 0.1 | ND |
| Chrysene(CHR) | 218-01-9 | mg/kg | 0.1 | ND |
| Dibenzo(a,h)Anthracene(DBA) | 53-70-3 | mg/kg | 0.1 | ND |
| Benzo(g,h,i)perylene(BPE) | 191-24-2 | mg/kg | 0.1 | ND |
| Indeno(1,2,3-c,d)pyrene(IPY) | 193-39-5 | mg/kg | 0.1 | ND |
| Phenanthrene(PHE) | 85-01-8 | mg/kg | 0.1 | ND |
| Pyrene(PYR) | 129-00-0 | mg/kg | 0.1 | ND |
| Anthracene(ANT) | 120-12-7 | mg/kg | 0.1 | ND |
| Fluoranthene(FLT) | 206-44-0 | mg/kg | 0.1 | ND |
| Sum of Phenanthrene(PHE), Pyrene(PYR), Anthracene(ANT), Fluoranthene(FLT) | - | mg/kg | - | ND |
| Naphthalene(NAP) | 91-20-3 | mg/kg | 0.1 | ND |
| Sum of 15 PAHs | - | mg/kg | - | ND |
| Material Category | - | - | - | - |

Notes:

AfPS (German commission for Product Safety) : PAHs requirements

| Parameter | Category 1 | Category 2 | Category 3 |
|-----------|--|--|---|
| | Materials intended to be placed in the mouth, or materials coming into long-term contact with skin | Materials not covered by category 1, coming into long-term contact (more than 30s) or short-term repetitive contact ^c with skin during the intended or foreseeable use ^d . | Materials covered neither by category 1 nor by category 2, coming into short-term contact (up to 30s) with skin during the intended or foreseeable use. |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

| | (more than 30s) during the intended use -in toys according to Directive 2009/48/EC or -for the use by children ^{a,b} up to 3 years of age. | a. use by children | b. other consumer products | a. use by children | b. other consumer products |
|---|---|-----------------------|-------------------------------|-----------------------|-------------------------------|
| Benzo(a)pyrene (BaP) mg/kg | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo(e)pyrene (BeP) mg/kg | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo(a)anthracene (BaA) mg/kg | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo(b)fluoranthene (BbF) mg/kg | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo(j)fluoranthene (BjF) mg/kg | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo(k)fluoranthene (BkF)mg/kg | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Chrysene (CHR) mg/kg | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Dibenzo(a,h)anthracene (DBA) mg/kg | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo(g,h,i)perylene (BPE) mg/kg | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Indeno(1,2,3-cd)pyrene (IPY) mg/kg | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Phenanthrene (PHE), pyrene (PYR), anthracene (ANT), fluoranthene (FLT), mg/kg | < 1 Sum | < 5 Sum | < 10 Sum | < 20 Sum | < 50 Sum |
| Naphthalene (NAP) mg/kg | < 1 | < 2 | < 10 | < 10 | < 50 |
| Sum of 15 PAHs | <1 | < 5 | < 10 | < 20 | < 50 |

Notes:

- ^a A "Child" is legally defined as a person before reaching the age of 14 years.
- ^b Use by children includes both active and passive contact by children.
- ^c Definition "short-term repetitive contact" taken from REACH Annex XVII entry 50 amendment (Regulation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No.: CANEC23007107809

Date: Aug 03, 2023

Page 5 of 14

(EC) No.1272/2013)

^d According to the definition of the German Product Safety Act (ProdSG) (chapter 1 Article 2 No. 28) "foreseeable use" shall mean the use of a product in a manner that the person placing it on the market, has not intended, but which could be reasonably foreseeable.

Remark:

The German committee on Product Safety (AfPS) published a new PAHs document (AfPS GS 2019:01 PAK) on April 10, 2020, which will be binding for the issue of GS mark certificate from July 1, 2020.

Perfluorooctane Sulfonates (PFOS) and its derivatives and Perfluorooctanoic Acid (PFOA) and its salts

Test Method: With reference to CEN/TS 15968:2010, analysis was performed by HPLC-MS or LC-MS/MS.

| Test Item(s) | CAS No. | Unit(s) | MDL | A9 |
|---|------------|---------|-------|----|
| PFOS and its derivatives | - | mg/kg | - | ND |
| Perfluorooctane Sulfonates (PFOS) and its salts* | - | mg/kg | 0.010 | ND |
| N-ethylperfluoro-1-octanesulfonamide (N-EtFOSA) | 4151-50-2 | mg/kg | 0.010 | ND |
| N-methylperfluoro-1-octanesulfonamide (N-MeFOSA) | 31506-32-8 | mg/kg | 0.010 | ND |
| 2-(N-ethylperfluoro-1-octanesulfonamido) -ethanol (N-EtFOSE) | 1691-99-2 | mg/kg | 0.010 | ND |
| 2-(N-methylperfluoro-1-octanesulfonamido) -ethanol (N-MeFOSE) | 24448-09-7 | mg/kg | 0.010 | ND |
| Perfluorooctane Sulfonamide (PFOSA) | 754-91-6 | mg/kg | 0.010 | ND |
| Perfluorooctanoic Acid (PFOA) and its salts* | - | mg/kg | 0.010 | ND |

Notes:

(1) Perfluorooctanoic acid (PFOA) and its salts* including PFOA (CAS No. 335-67-1), APFO (CAS No. 3825-26-1), PFOA-Na (CAS No. 335-95-5), PFOA-K (CAS No. 2395-00-8), PFOA-Ag (CAS No. 335-93-3) and PFOA-F (CAS No. 335-66-0). The result of PFOA is used to represent PFOA and its salts.

(2) Perfluorooctane sulfonates (PFOS) and its salts* including PFOS (CAS No. 1763-23-1), POSF(CAS No. 307-35-7), PFOS-K (CAS No. 2795-39-3), PFOS-NH₄ (CAS No. 29081-56-9), PFOS-N(C₁₀H₂₁)₂(CH₃)₂ (CAS No. 251099-16-8), PFOS-NH₂(C₂H₄OH)₂ (CAS No. 70225-14-8), PFOS-Li (CAS No. 29457-72-5), PFOS-N(C₂H₅)₄ (CAS No. 56773-42-3) and PFOS-Na (CAS No. 4021-47-0). The result of PFOS is used to represent PFOS and its salts.

Phthalates

Test Method: With reference to IEC 62321-8:2017, analysis was performed by GC-MS.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No.: CANEC23007107809

Date: Aug 03, 2023

Page 6 of 14

| Test Item(s) | CAS No. | Unit(s) | MDL | A9 |
|------------------------------------|---------------------------|---------|-----|----|
| Dibutyl Phthalate(DBP) | 84-74-2 | mg/kg | 50 | ND |
| Bis-(2-ethylhexyl) Phthalate(DEHP) | 117-81-7 | mg/kg | 50 | ND |
| Benzyl Butyl Phthalate(BBP) | 85-68-7 | mg/kg | 50 | ND |
| Diisononyl Phthalate (DINP) | 28553-12-0 /68515-48-0 | mg/kg | 50 | ND |
| Di-n-Octyl Phthalate(DNOP) | 117-84-0 | mg/kg | 50 | ND |
| Diisodecyl Phthalate (DIDP) | 26761-40-0 /68515-49-1 | mg/kg | 50 | ND |
| Diisobutyl Phthalate(DIBP) | 84-69-5 | mg/kg | 50 | ND |
| Di-n-Hexyl Phthalate(DnHP) | 84-75-3 | mg/kg | 50 | ND |
| Dipentyl Phthalate (DPENP/DnPP) | 131-18-0 | mg/kg | 50 | ND |
| Diphenyl Phthalate(DPhP) | 84-62-8 | mg/kg | 50 | ND |
| Dimethyl Phthalate(DMP) | 131-11-3 | mg/kg | 50 | ND |
| Diethyl Phthalate(DEP) | 84-66-2 | mg/kg | 50 | ND |
| Dipropyl Phthalate(DPrP) | 131-16-8 | mg/kg | 50 | ND |
| Dicyclohexyl Phthalate(DCHP) | 84-61-7 | mg/kg | 50 | ND |
| Dibenzyl Phthalate(DBzP) | 523-31-9 | mg/kg | 50 | ND |
| Dinonyl Phthalate(DNP) | 84-76-4 | mg/kg | 50 | ND |
| Diisooctyl Phthalate(DIOP) | 27554-26-3 | mg/kg | 50 | ND |

Chlorinated Paraffins

Test Method: With reference to ISO 22818:2021, analysis was performed by GC-NCI-MS.

| Test Item(s) | CAS No. | Unit(s) | MDL | A9 |
|---|------------|---------|-----|----|
| Short Chain Chlorinate Paraffins(SCCP)(C ₁₀ -C ₁₃) | 85535-84-8 | mg/kg | 50 | ND |

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Technical Laboratory


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com


Elements Testing Flow Chart

These samples were dissolved totally by pre-conditioning method according to below flow chart.




ATTACHMENTS

Hexavalent Chromium (Cr(VI)) Testing Flow Chart




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


PBBs/PBDEs Testing Flow Chart




Phthalates Testing Flow Chart




PAHs Testing Flow Chart



PFASs/ PFOS/PFOA Testing Flow Chart



Chlorinated Paraffin Testing Flow Chart



Test Report

No.: CANEC23007107809

Date: Aug 03, 2023

Page 14 of 14

Sample Photo:



SGS authenticate the photo on original report only
*** End of Report ***



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Technical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com